Author index

Akamatsu, N., see Shiraiwa, M. et al	Brine, D.R., Soulen, R.L.: Pancreaticobiliary carcinoma associated with a
Akata, D., see Özgen, A. et al	large choledochal cyst: role of MRI and MR cholangiopancreatogra-
Akhan, O., see Özgen, A. et al	phy in diagnosis and preoperative assessment
Akyar, S., see Aytaç, S. et al	Brocheriou-Spelle, I., see Pelage, JP. et al
Ambit-Capdevila, S., see González-Añón, M. et al	Bülow, M., see Ekberg, O. et al
Ambrosius, W.T., see Stockberger, S.M., Jr. et al	Burdeny, D.A., see Semelka, R.C. et al
Amitai, M., see Gayer, G. et al	Burrell, M.I., see Neitlich, J.D
Angelelli, G., see Scialpi, M. et al	Cadière, GB., see Hainaux, B. et al
Aoki, J., see Koyama, Y. et al	Cameron, J.L., see Wu, C.M. et al
Appel, B.J., see Desimpelaere, J.H. et al	Caramella, D., see Neri, E. et al
Apter, S., see Gayer, G. et al	Casas, J.D., see Muchart, J. et al
Arai, Y., see Inaba, Y. et al	Casillas, C., see Martí-Bonmatí, L. et al
Araki, T., see Ichikawa, T. et al	Cervera-Deval, J., see González-Añón, M. et al
Araki, T., see Monzawa, S. et al	Chan, B.K., Ranheim, E., Jeffrey, R.B., Jr.: Disseminated peritoneal plas-
Araki, Y., see Furukawa, T. et al	macytoma following cardiac transplantation
Arat, A., see Özgen, A. et al	Cheng, YF., see Leaw, SJ. et al
Argüelles Pintos, M., see García Figueiras, R. et al	Chijiiwa, K., see Hiwatashi, A. et al
Arikawa, K., see Makita, O. et al	Chiu, L.C., see Ng, KK. et al. 470
Arita, T., Matsunaga, N., Takano, K., Hara, A., Fujita, T., Honjo, K.:	Cho, J.Y., see Kim, S.H. et al
Hepatic perfusion abnormalities in acute pancreatitis: CT appearance	Cho, O.K., see Rhim, H. et al
and clinical importance	Choi, B.I., Chung, J.W., Itai, Y., Matsui, O., Han, J.K., Han, M.C.; He-
Arita, T., see Fujita, T. et al	patic abnormalities related to blood flow: evaluation with dual-phase
Armesto Fernández, M.J., see García Figueiras, R. et al	helical CT
	Choi, B.I., Han, J.K., Hong, S.H., Kim, T.K., Song, C.S., Kim, K.W., Kim, MJ., Han, M.C.: Dysplastic nodules of the liver: imaging
Asakawa, T., see Shiraiwa, M. et al	
Ascenti, G., Racchiusa, S., Mazziotti, S., Bottari, M., Scribano, E.: Giant	
fibrovascular polyp of the esophagus: CT and MR findings 109	Choo, I.W., see Lim, J.H. et al.
Atasoy, Ç., see Aytaç, S. et al	Choo, S.W., see Lim, J.H. et al. 16: Chowdhury, V., see Dixit, R. et al. 497
Auh. Y.H., see Ha, H.K. et al	Chung, J.B., see Kim, MJ, et al.,
Auh, Y.H., see Hwang, J.C. et al	Chung, JJ., see Kim, MJ. et al
Aytaç, S., Fitoz, S., Akyar, S., Atasoy, Ç., Erekul, S.: Focal intra-	Chung, JJ., see Won, J.H. et al
hepatic extramedullary hematopoiesis: color Doppler US and CT	Chung, J.W., see Choi, B.I. et al
findings	Chung, Y.H., see Hwang, J.C. et al.,
Bae, O.K., see Rhim, H. et al	Clouet, M., Boulay, I., Boudiaf, M., Soyer, P., Nemeth, J., Kiselman, R.,
Baeten, C.G.M.I., see Beets-Tan, R.G.H. et al	Rymer, R.: Imaging features of nodular regenerative hyperplasia of
Ban, S., see Suzuki, S. et al	the liver mimicking hepatic metastases
Barbagelatta, M., see Gouhiri, M. et al	Coakley, F.V., see Squires, F.B. et al
Bartolozzi, C., see Neri, E. et al	Coche, E.E., Bret, P.M., Reinhold, C.: Dynamic enhancement of upper
Bartram, C.: Anal endosonography after sphincter repair 574	abdominal organs in normal volunteers with MRI and effects of con-
Beets, G.L., see Beets-Tan, R.G.H. et al	trast dose reduction
Beets-Tan, R.G.H., Beets, G.L., Gerritsen van der Hoop, A., Borstlap,	Conzi, R., see Rollandi, G.A. et al
A.C.W., van Boven, H., Rongen, M.J.G.M., Baeten, C.G.M.I., van	Coppens, E., see Hainaux, B. et al
Engelshoven, J.M.A.: High-resolution magnetic resonance imaging of	Cortés-Vizcaino, V., see González-Añón, M. et al
the anorectal region without an endocoil	Coumbaras, J., see Pelage, JP. et al
Benozio, M., see Savoye-Collet, C. et al	Croteau, D.L., see Rajan, D.K. et al
Benozio, M., see Thoumas, D. et al	Cummings, O.W., see Sandrasegaran, K. et al
Berg, W.J., see Squires, F.B. et al	Curone, P.F., see Rollandi, G.A. et al.
Bergan, K.A., see Stockberger, S.M., Jr. et al	Curry, N.S., Blackwood, G.A., Tsai, C.C.: Diagnosis of chronic ectopic
Berne, A.S., see Oliphant, M. et al	gestation by hysterosalpingography
Berry, M., see Jain, R. et al	d'Othée, B.J., see Koizumi, J. et al
Biscaldi, E., see Rollandi, G.A. et al	Davidson, D.D., see Stockberger, S.M., Jr. et al
Blackwood, G.A., see Curry, N.S. et al	Debatin, J.F., see Kubik-Huch, R.A. et al
Bonaldi, V.M., see Garcia, P. et al	Defreyne, L., see Vanlangenhove, P. et al
Bonifacino, E., see Rollandi, G.A. et al	Demirkazik F.B., see Özgen, A. et al.,
Boraschi, P., see Neri, E. et al.,	Denis, P., see Savoye-Collet, C. et al
Bordón-Ferré, F., see González-Añón, M. et al	Denis, P., see Thoumas, D. et al
Borson, O., see Ongolo-Zogo, P. et al	Derchi, L.E., see Rollandi, G.A. et al
Borstlap, A.C.W., see Beets-Tan, R.G.H. et al	Dervan, P., see Maher, M.M. et al.
Bottari, M., see Ascenti, G. et al	Desimpelaere, J.H., Seynaeve, P.C., Hagers, Y.M., Appel, B.J., Mortel-
Boudiaf, M., see Clouet, M. et al	mans, L.L.: Pelvic congestion syndrome: demonstration and diagno-
Boudiaf, M., see Pelage, JP. et al	sis by helical CT
Boulay, I., see Clouet, M. et al	Díaz Tie, M., see García Figueiras, R. et al
Braccini, G., see Neri, E. et al	Díaz-Ruíz, M.J., see Muchart, J. et al
Bret, P.M., see Coche, E.E. et al	DiGirolamo, D., see Sandrasegaran, K. et al.,
Rret P.M. see Garcia P. et al. 597	Dimas C.T. see Nehiem, H.V. et al

Dixit, R., Chowdhury, V., Kumar, N.: Hydrocolonic sonography in the		Gouhiri, M., Soyer, P., Barbagelatta, M., Rymer, R.: Macrocystic serous	
evaluation of colonic lesions	497	cystadenoma of the pancreas: CT and endosonographic features	72
Dixon, A.K., see Srinualnad, N	614	Graells, M., see Martí-Bonmatí, L. et al	147
Dorph, S., see Madsen, S.M. et al	232	Greaney, T.V., Nolan, N., Malone, D.E.: Multiple gastric polyps in fa-	
Dosdá, R., see Martí-Bonmatí, L. et al.	336	milial amyloid polyneuropathy.	220
Dufresne, AC., see Pelage, JP. et al	240	Gretschel, S., see Hünerbein, M. et al.	445
Dure-Smith, P., Wiley, T.E., III, Suh, R.D., Song, A.K.: The ureteric		Groell, R., see Schaffler, G.J. et al.	29
ring	426	Gruner, L., see Ongolo-Zogo, P. et al.	329
Düx, M.: Hydrocolonic sonography	506	Gwyther, S.J., see Husband, J.E.S. et al	618
Ekberg, O., Olsson, R., Bülow, M.: Radiologic evaluation of dysphagia	444	Ha, H.K., Ko, G.Y., Yu, E.S., Yoon, KH., Hong, W.S., Kim, H.R.,	010
Endo, K., see Koyama, Y. et al	144	Jung, H.Y., Yang, S.K., Jee, K.N., Min, Y.J., Auh, Y.H.: Intestinal	
Erekul, S., see Aytaç, S. et al	366	tuberculosis with abdominal complications: radiologic and pathologic	
Fejgin, M., see Zissin, R. et al	594	features	32
Fishman, E.K., see Wu, C.M. et al.	75	Ha, H.K., see Hwang, J.C. et al.	125
Fitoz, S., see Aytaç, S. et al	366	Hachiya, J., see Ichikawa, T. et al	456
Frederick, M.G., see Low, V.H.S. et al	437	Hagers, Y.M., see Desimpelaere, J.H. et al	100
Freed, K.S., see Ho, L.M. et al.	562	Hahn, C.K., see Rhim, H. et al.	223
Freed, K.S., see Low, V.H.S. et al	565	Hainaux, B., Coppens, E., Sattari, A., Vertruyen, M., Hubloux, G.,	
Freeny, P.C., see Nghiem, H.V. et al	278	Cadière, GB.: Laparoscopic adjustable silicone gastric banding: ra-	
Freger, P., see Thoumas, D. et al	309	diological appearances of a new surgical treatment for morbid obe-	
Fujimori, S., see Naganuma, H. et al	333	sity	533
Fujita, T., Honjo, K., Ito, K., Arita, T., Koike, S., Takano, K., Tamura,		Hamashima, Y., see Ishida, H. et al	585
S., Matsumoto, T., Matsunaga, N.: Fan-shaped hepatic parenchymal			414
damage after ethanol injection therapy for hepatocellular carcinoma:		Hamashima, Y., see Konno, K. et al	
MRI appearances	56		42
Fujita, T., see Arita, T. et al.	157	Hamashima, Y., see Sato, M. et al	
Fukuda, T., see Hirota, S. et al.	511	Hammerl, R., see Schaffler, G.J. et al.	29
Fukushima, Y., see Yoshida, Y. et al	66		340
Funaoka, M., see Naganuma, H. et al	333	Han, J.K., see Yun, E.J. et al	
Furui, S., see Suzuki, S. et al	92		340
Furukawa, T., Ueda, J., Takahashi, S., Higashino, K., Shimura, K., Tsu-		Han, M.C., see Yun, E.J. et al	262
jimura, T., Araki, Y.: Peritoneal serous papillary carcinoma: radio-		Hanioka, K., see Hirota, S. et al	511
logical appearance	78	Hara, A., see Arita, T. et al.	157
Furuya, T., see Konno, K. et al	401	Haradome, H., see Ichikawa, T. et al	456
Gabata, T., Matsui, O., Kadoya, M., Yoshikawa, J., Mitchell, D.G.,		Harasawa, A., see Suzuki, S. et al.	92
Ueda, K., Kawamori, Y., Takashima, T.: Giant hyperplasia of the		Harris, A., see Nghiem, H.V. et al	278
caudate lobe of the cirrhotic liver: correlation with an anomaly of the		Hausken, T., see Ødegaard, S. et al	449
caudate portal branch	153	Hayakawa, K., see Yamamoto, T. et al	494
García Figueiras, R., Díaz Tie, M., Lapeña Villarroya, J.A., Armesto Fer-		Hayashi, K., Tahara, H., Yamashita, K., Kuroki, K., Matsushita, R.,	
nández, M.J., González Rodríguez, A.A., Argüelles Pintos, M.: Port		Yamamoto, S., Hori, T., Hirono, S., Nawa, Y., Tsubouchi, H.: He-	
site metastases after laparoscopic cholecystectomy for an unexpected		patic imaging studies on patients with visceral larva migrans due to	
gallbladder carcinoma	404	probable Ascaris suum infection	465
García Santos, J.M.: Direct sonographic signs of acute duodenal ulcer	226	Hayashi, N., see Yamamoto, T. et al	494
Garcia, P., Genin, G., Bret, P.M., Bonaldi, V.M., Reinhold, C., Atri, M.:		Hebisch, G., see Kubik-Huch, R.A. et al.	85
Hepatic CT enhancement: effect of the rate and volume of contrast		Heldenberg, E., see Gayer, G. et al.	452
medium injection in an animal model	597		
		Henz, M., see Gayer, G. et al	178
Garcia, P., see Ongolo-Zogo, P. et al.	329	Hertzberg, B.S., Kliewer, M.A., Paulson, E.K.: Ovarian cyst rupture	
García-Vila, J.H., see González-Añón, M. et al	137	causing hemoperitoneum: imaging features and the potential for mis-	
Gardiner, G.W., see Zalev, A.H. et al.	538	diagnosis	304
Gayer, G., see Zissin, R. et al	550	Higashino, K., see Furukawa, T. et al.	78
Gayer, G., Apter, S., Jonas, T., Amitai, M., Zissin, R., Sella, T., Weiss,		Hilfiker, P., see Kubik-Huch, R.A. et al	85
P., Hertz, M.: Polysplenia syndrome detected in adulthood: report of		Hiraki, Y., see Shibutani, O. et al.,	520
eight cases and review of the literature	178	Hiraki, Y., see Shiraiwa, M. et al	514
Gayer, G., Zissin, R., Apter, S., Shemesh, E., Heldenberg, E.: Acute di-		Hiramatsu, K., see Koizumi, J. et al	556
verticulitis of the small bowel: CT findings	452	Hiromura, T., Shimamura, S., Ikeda, H., Tanabe, T.: Lobar dysmorphism	
Genin, G., see Garcia, P. et al	597	of the kidney: reevaluation of junctional parenchyma using helical	
Gerritsen van der Hoop, A., see Beets-Tan, R.G.H. et al	576	CT	196
Ghadimi, B.M., see Hünerbein, M. et al	445	Hirono, S., see Hayashi, K. et al	465
Ghahremani, G.G., see Gore, R.M. et al	9	Hirota, S., Fukuda, T., Matsumoto, S., Yoshikawa, T., Ichikawa, S.,	
Ghahremani, G.G.: Gastrointestinal complications of drug therapy.	1	Hanioka, K.: Adrenal endothelial cyst with massive central calcifica-	
Gigoni, R., see Neri, E. et al	289	tion	511
Gilja, O.H., see Ødegaard, S. et al.	449		311
Gil-Sánchez, S., see González-Añón, M. et al.	137	Hiwatashi, A., Yoshimitsu, K., Honda, H., Kuroiwa, T., Irie, H., Tajima, T., Jimi, M., Chijiiwa, K., Masuda, K.: Pseudolesion in segment II	
González Rodríguez, A.A., see García Figueiras, R. et al	404		
	404	of the liver observed on CT during arterial portography caused by	200
González-Añón, M., Cervera-Deval, J., García-Vila, J.H., Bordón-Ferré,		the aberrant left gastric venous drainage	357
F., Ambit-Capdevila, S., Piqueras-Olmeda, R., Jomet-Fayos, J.,		Ho, L.M., Low, V.H.S., Freed, K.S. Vaginal opacification during de-	
Gil-Sánchez, S., Marco-Domenech, S.F., Cortés-Vizcaíno, V.: Char-		fecography: utility of placing a folded gauze square at the introitus .	562
acterization of solid liver lesions with color and pulsed Doppler im-		Ho, L.M., see Low, V.H.S. et al.	565
aging	137	Hoess, G., see Schaffler, G.J. et al.	29
Gore, R.M., Levine, M.S., Ghahremani, G.G.: Drug-induced disorders of		Honda, H., see Hiwatashi, A. et al.	357
the stomach and duodenum	9	Hong, S.H., see Choi, B.I. et al.	250

Hong, S.W., see Won, J.H. et al.	260	1-66 D.D. 1 N. A 1	
	369		163
Hong, W.S., see Ha, H.K. et al.	32		386
Honjo, K., see Arita, T. et al. , , , , , , , , , , , ,	157		369
Honjo, K., see Fujita, T. et al.	56	Jimi, M., see Hiwatashi, A. et al.	357
Hori, M., see Kim, T. et al	610	Jin, Y., see Kim, M. et al.	373
Hori, T., see Hayashi, K. et al	465	Joffre, F., see Koizumi, J. et al.	556
Hoshi, H., see Kanematsu, M. et al	47		520
Hosoda, K., see Monzawa, S. et al.	392		514
Hruban, R.K., see Wu, C.M. et al.	75	Jonas, T., see Gayer, G. et al	178
Hubloux, G., see Hainaux, B. et al.	533	Jones, C.D., McGahan, J.P.; Computed tomographic evaluation and	
Huch, R., see Kubik-Huch, R.A. et al	85	guided correction of malpositioned nephrostomy catheters	422
Hünerbein, M., Ghadimi, B.M., Gretschel, S., Schlag, P.M.: Three-di-		Jornet-Fayos, J., see González-Añón, M. et al.	137
mensional endoluminal ultrasound: a new method for the evaluation		Jung, HY., see Ha, H.K. et al.	32
of gastrointestinal tumors	445	Jung, HY., see Hwang, J.C. et al.	125
Husband, J.E.S., Gwyther, S.J., Rankin, S.: Monitoring tumor response	618	Kadoya, M., see Gabata, T. et al.	153
Hussain, S.M., Outwater, E.K.: MR imaging of the anorectal region: in-		Kadoya, M., see Kobayashi, K. et al.	591
traluminal, extraluminal, que sera?	502		
	582	Kammerhuber, F., see Schaffler, G.J. et al.	29
Hwang, J.C., Ha, H.K., Yoon, KH., Lee, MG., Kim, P.N., Lee, Y.S.,		Kanai, N., see Tamada, K. et al.	484
Chung, Y.H., Jung, HY., Suh, D.J., Auh, Y.H.: Colonic wall thick-		Kanematsu, M., Hoshi, H., Yamada, T., Murakami, T., Kim, T., Kato,	
ening in cirrhotic patients: CT features and its clinical significance .	125	M., Yokoyama, R., Nakamura, H.: Small hepatic nodules in cirrho-	
Ichikawa, S., see Hirota, S. et al	511	sis: ultrasonographic, CT, and MR imaging findings	47
Ichikawa, T., Haradome, H., Hachiya, J., Nitatori, T., Araki, T.: Diffu-		Kato, M., see Kanematsu, M. et al.	47
sion-weighted MR imaging with single-shot echo-planar imaging in		Katsuma, Y., see Yamamoto, T. et al.	494
the upper abdomen: preliminary clinical experience in 61 patients .	456	Katsuya, T., see Koyama, Y. et al	
			144
Ido, K., see Tamada, K. et al.	484	Kawaguchi, K., see Yunoki, Y. et al.	398
Ikeda, H., see Hiromura, T. et al.	196	Kawakami, S., see Yamamoto, T. et al.	494
Ikushima, I., see Makita, O. et al	120	Kawamori, Y., see Gabata, T. et al.	153
Imai, Y., see Yoshida, Y. et al	66	Kawamori, Y., see Kobayashi, K. et al	591
Inaba, Y., Itai, Y., Arai, Y., Matsueda, K., Yamagami, T., Sueyoshi, S.,		Kazmers, A., see Rajan, D.K. et al.	301
Takeuchi, Y.: Focal attenuation differences in pericystic liver tissue		Kelekis, N.L., see Semelka, R.C. et al.	378
as seen on CT hepatic arteriography and CT arterial portography:		Keogh, B., see Maher, M.M. et al.	171
observation using a unified helical CT and angiography system	360		
		Khamis, M.G., see Stockberger, S.M., Jr. et al.	321
Irie, H., see Hiwatashi, A. et al.	357	Kikuchi, Y., see Suzuki, S. et al.	92
Ishibashi, A., see Koyama, Y. et al	144	Kim, B.M., see Won, J.H. et al.	369
Ishida, H., Konno, K., Hamashima, Y., Naganuma, H., Komatsuda, T.,		Kim, C.S., see Yu, JS. et al.	386
Sato, M., Ishida, J., Masamune, O.: Assessment of resectability of		Kim, D.J., see Kim, MJ. et al.	410
pancreatic carcinoma by color Doppler sonography	295	Kim, H.R., see Ha, H.K. et al.	32
Ishida, H., Konno, K., Hamashima, Y., Naganuma, H., Komatsuda, T.,		Kim, J.S., see Rhee, C.S. et al.	202
Sato, M., Kimura, H., Ishida, J., Sakai, T.: Portal tumor thrombus		Kim, K.A., Lim, H.K., Kim, S.H., Lec, W.J., Lim, J.H.: Necrotic granu-	0/1/10
	ene		440
due to gastrointestinal cancer	585	loma of the liver by human fascioliasis: imaging findings	462
Ishida, H., Konno, K., Komatsuda, T., Naganuma, H., Hamashima, Y.,		Kim, K.K., see Kim, M.Y. et al.	82
Sato, M., Ishida, J., Watanabe, S.: Multinodular fatty change in the		Kim, K.W., see Choi, B.I. et al.	250
liver in patients with chronic hepatic porphyria	481	Kim, K.W., see Yu, JS. et al	386
Ishida, H., Konno, K., Komatsuda, T., Sato, M., Naganuma, H., Ha-		Kim, M., Lyu, C., Jin, Y., Yoo, H.: Langerhans' cell histiocytosis as a	
mashima, Y., Ishida, J.: Gastrointestinal bleeding due to ruptured		cause of periportal abnormal signal intensity on MRI	373
pseudoaneurysm in patients with pancreatitis	418	Kim, MJ., Oh, Y.T., Park, Y.N., Chung, J.B., Kim, D.J., Chung, JJ.,	
Ishida, H., see Komatsuda, T. et al	414	Mitchell, D.G.: Gallbladder adenomyomatosis: findings on MRI	410
		Kim, MJ., see Choi, B.I. et al,	250
Ishida, H., see Naganuma, H. et al		Kim, MJ., see Won, J.H. et al.	369
Ishida, H., see Sato, M. et al.		Kim, M.Y., Koo, J.H., Yeon, J.W., Suh, C.H., Kim, K.K.: Ileal obstruc-	
Ishida, J., see Ishida, H. et al	, 585	tion caused by idiopathic sclerosing encapsulating peritonitis	82
Ishida, J., see Komatsuda, T. et al	414	Kim, P.N., Mitchell, D.G., Outwater, E.K.: Budd-Chiari syndrome: he-	
Ishida, J., see Naganuma, H. et al	42	patic venous obstruction by an elevated diaphragm	267
Ishida, J., see Sato, M. et al.	559	Kim, P.N., see Hwang, J.C. et al	125
Ishii, K., see Kinoshita, T. et al.	185	Kim, S.H., Cho, J.Y., Lim, H.K.: CT findings of isolated small bowel	
Ishii, Y., see Yamamoto, T. et al	494	angioedema due to iodinated radiographic contrast medium reaction .	117
		W. OH W. W. A.	100
Ishijima, H., see Koyama, Y. et al.	144	Kim, S.H., see Kim, K.A. et al.	462
Ishizaka, H., see Koyama, Y. et al.	144	Kim, T., Murakami, T., Takahashi, S., Hori, M., Sakon, M., Nakamori,	
Itai, Y., see Choi, B.I. et al.	340	S., Wakasa, K., Nakamura, H.: Ductal adenocarcinoma of the pan-	
Itai, Y., see Inaba, Y. et al	360	creas with intratumoral calcification	610
Ito, K., see Fujita, T. et al	56	Kim, T., Murakami, T., Takahashi, S., Tsuda, K., Tomoda, K., Narumi,	
Jadvar, H., Mindelzun, R.E.: Annular pancreas in adults: imaging fea-		Y., Oi, H., Sakon, M., Nakamura, H.: Optimal phases of dynamic	
tures in seven patients	174	CT for detecting hepatocellular carcinoma: evaluation of unenhanced	
Jain, R., Sawhney, S., Sahni, P., Taneja, K., Berry, M.: CT portography		and triple-phase images.	473
	272		
by direct intrasplenic contrast injection: a new technique	272	Kim, T., see Kanematsu, M. et al	47
Jang, HJ., see Yun, E.J. et al	262	Kim, T., see Yoshida, Y. et al	66
Javors, B.R.: Tortuosity of the splenic artery	313	Kim, T.K., see Choi, B.I. et al.	250
Jee, K.N., see Ha, H.K. et al	32	Kim, T.K., see Yun, E.J. et al.,	262
Jeejeebhoy, K.N., see Zalev, A.H. et al	538	Kim, Y.H., see Rhim, H. et al	223
Jeffrey, R.B., Jr., see Chan, B.K. et al.	508	Kim, Y.S., see Rhim, H. et al	223
Jeffrey, R.B., Jr., see Liu, D.M. et al	299	Kimura, H., see Ishida, H. et al.	585

Kinosnita, L., Ishii, K., Yajima, Y., Sakai, N., Naganuma, H.: Spienic	Lee, TY., see Leaw, SJ. et al
hemangiosarcoma with massive calcification	Lce, W.J., see Kim, K.A. et al
Kiselman, R., see Clouet, M. et al	Lee, W.J., see Lim, J.H. et al
Kliewer, M.A., see Hertzberg, B.S. et al	Let, YC., see Leaw, SJ. et al
Ko, G.Y., see Ha, H.K. et al	Lee, Y.S., see Hwang, J.C. et al
Ko, Y.T., see Lee, D.H	Lencioni, R., see Neri, E. et al
Kobayashi, K., Matsui, O., Yoshikawa, J., Kadoya, M., Kawamori, Y.,	Leroi, A.M., see Thoumas, D. et al
Takashima, T.: Right hepatic arterial supply to the posterior aspect	Laving M.S. and Comp. D.M. and
	Levine, M.S., see Gore, R.M. et al.
of segment IV of the liver: analysis by CT during hepatic arteriogra-	Levine, M.S.: Drug-induced disorders of the esophagus
phy	Lev-Toaff, A.S., see Nazarian, L.N. et al
Koh, B.H., see Rhim, H. et al	Lim, H.K., see Kim, K.A. et al
Kohda, E., see Koizumi, J. et al	Lim, H.K., see Kim, S.H. et al
Kohtake, H., see Suzuki, S. et al	Lim, H.K., see Lim, J.H. et al
Koike, S., see Fujita, T. et al	Lim, J.H., Lee, S.J., Lee, W.J., Lim, H.K., Choo, S.W., Choo, I.W.: Jo-
Koizumi, J., d'Othée, B.J., Otal, P., Rousseau, H., Joffre, F., Kohda, E.,	dized oil retention due to postbiopsy arterioportal shunt: a false posi-
Hiramatsu, K.: Middle mesenteric artery visualized by computed to-	tive lesion in the investigation of hepatocellular carcinoma 165
mographic angiography	
Koizumi, J., Noguchi, H.: Pseudomyxoma retroperitonei with spontane-	Lim, J.H., see Kim, K.A. et al
	Liu, D.M., Jeffrey, R.B., Jr., Mindelzun, R.E.: Malignant fibrous histio-
ous skin fistula	cytoma presenting as cystic pancreatic mass
Kokubo, T., see Suzuki, S. et al	Low, V.H.S., Ho, L.M., Freed, K.S.: Vaginal opacification during de-
Komatsuda, T., Ishida, H., Konno, K., Hamashima, Y., Naganuma, H.,	fecography: direction of vaginal migration aids in diagnosis of pelvic
Sato, M., Ishida, J., Masamune, O.: Splenic lymphangioma: US and	floor pathology
CT diagnosis and clinical manifestations	Low, V.H.S., see Ho, L.M. et al
Komatsuda, T., see Ishida, H. et al	Low, V.H.S., Sitarik, K.M., Frederick, M.G., Nelson, R.C.: The oblique
Komatsuda, T., see Konno, K. et al.	
Komatsuda, T., see Naganuma, H. et al	
	Luna, J.A., see Nghiem, H.V. et al
	Lyu, C., see Kim, M. et al
Konaga, E., see Yunoki, Y. et al	Madsen, S.M., Thomsen, H.S., Schlichting, P., Dorph, S., Munkholm, P.:
Kong, MS., see Ng, KK. et al	Evaluation of treatment response in active Crohn's disease by low-
Koning, E., see Savoye-Collet, C. et al	field magnetic resonance imaging
Konno, K., Ishida, H., Hamashima, Y., Komatsuda, T., Sato, M., Furuya,	Macda, M., see Yamamoto, T. et al
T., Asanuma, Y., Masamune, O.: Color Doppler findings of tumor	Maher, M.M., Dervan, P., Keogh, B., Murray, J.G.: Bile duct hamar-
seeding after US-guided liver tumor biopsy	tomas (Von Meyenburg complexes): value of MR imaging in di-
Konno, K., Ishida, H., Komatsuda, T., Hamashima, Y., Sato, M.,	agnosis
Masamune, O.: Color Doppler sonography of the gastroepiploic vein. 228	Makino, Y., see Yunoki, Y. et al
Konno, K., see Ishida, H. et al	Makino, 1., see Tulloki, 1. et al.
	Makita, O., Ikushima, I., Matsumoto, N., Arikawa, K., Yamashita, Y.,
Konno, K., see Komatsuda, T. et al	Takahashi, M.: CT differentiation between necrotic and nonnecrotic
Konno, K., see Naganuma, H. et al	small bowel in closed loop and strangulating obstruction 120
Konno, K., see Sato, M. et al	Malone, D.E., see Greaney, T.V. et al
Koo, J.H., see Kim, M.Y. et al	Marco-Domenech, S.F., see González-Añón, M. et al
Kopecky, K.K., see Sandrasegaran, K. et al 61	Martí-Bonmatí, L., Casillas, C., Graells, M., Masiá, L.: Atypical hepatic
Kots, E., see Zissin, R. et al	hemangiomas with intense arterial enhancement and early fading 147
Koyama, Y., Ishijima, H., Ishibashi, A., Katsuya, T., Ishizaka, H., Aoki,	Martí-Bonmatí, L., Dosdá, R., Ronchera-Oms, C.L., Casillas, C.: Dose
J., Endo, K.: Intact PTH-producing hepatocellular carcinoma treated	effect of dicyclomine on the reduction of peristaltic artifacts on MRI
by transcatheter arterial embolization	
	of the abdomen
Krestin, G.P., see Kubik–Huch, R.A. et al	Masamune, O., see Ishida, H. et al
Kubik-Huch, R.A., Hebisch, G., Huch, R., Hilfiker, P., Debatin, J.F.,	Masamune, O., see Komatsuda, T. et al
Krestin, G.P.: Role of duplex color Doppler ultrasound, computed	Masamune, O., see Konno, K. et al
tomography, and MR angiography in the diagnosis of septic puer-	Masamune, O., see Naganuma, H. et al
peral ovarian vein thrombosis	Masiá, L., see Martí-Bonmatí, L. et al
Kudo, T., see Shibutani, O. et al	Masuda, K., see Hiwatashi, A. et al
Kudo, T., see Shiraiwa, M. et al	Matsueda, K., see Inaba, Y. et al
Kumar, N., see Dixit, R. et al	
Kunnen, M., see Vanlangenhove, P. et al	Matsui, O., see Gabata, T. et al
Kuroiwa, T., see Hiwatashi, A. et al	Matsui, O., see Kobayashi, K. et al
Kurokawa, M., see Yoshida, Y. et al	Matsumoto, N., see Makita, O. et al
Kuroki, K., see Hayashi, K. et al.,	Matsumoto, S., see Hirota, S. et al
Kwo, P.W., see Sandrasegaran, K. et al 61	Matsumoto, T., see Fujita, T. et al
Labuski, M.R., Wise, S.W.: Recurrent abdominal abscess secondary to a	Matsunaga, N., see Arita, T. et al
dropped laparoscopic clip: CT imaging	Matsunaga, N., see Fujita, T. et al
Lapeña Villarroya, J.A., see García Figueiras, R. et al	Matsushita, R., see Hayashi, K. et al
Leaw, SJ., Cheng, YF., Lee, YC., Lee, TY.: Cholangiocarcinoma	and the second s
and the second s	
presenting as lung mass with hemoptysis	Mazziotti, S., see Ascenti, G. et al
Lee, D.G., see Yu, JS. et al	McGahan, J.P., see Jones, C.D
Lee, D.H., Ko, Y.T.: Advanced gastric carcinoma: the role of three-di-	McVicar, J.P., see Nghiem, H.V. et al
mensional and axial imaging by spiral CT	Meyers, M.A., see Oliphant, M. et al
Lee, J.K.T., see Semelka, R.C. et al	Michot, F., see Savoye-Collet, C. et al
Lee, J.T., see Won, J.H. et al	Min, Y.L. see Ha, H.K. et al
Lee, MG., see Hwang, J.C. et al	Mindelzun, R.E., see Jadvar, H
Lee, S.J., see Lim, J.H. et al	Mindelzun, R.E., see Liu, D.M. et al
Lee, T.H., see Rhim, H. et al	
223	Mindelzun, R.E., see Yu, A. et al.,

Mitchell, D.G., see Gabata, T. et al	Oi H sac Vim T at al
Mitchell, D.G., see Kim, MJ. et al	Oi, H., see Kim, T. et al
Mitchell, D.G., see Kim, P.N. et al	
Miyagi, Y., see Shibutani, O. et al	Oliphant, M., Berne, A.S., Meyers, M.A.: The subserous thoracoabdomi-
	nal continuum: embryologic basis and diagnostic imaging of disease
Miyata, T., see Tamada, K. et al	Spread
· · · · · · · · · · · · · · · · · · ·	Olsfanger, D., see Zissin, R. et al
	Olsson, R., see Ekberg, O. et al
Monzawa, S., Omata, K., Shimazu, N., Yagawa, A., Hosoda, K., Araki,	Omata, K., see Monzawa, S. et al
T.: Well-differentiated hepatocellular carcinoma: findings of US, CT,	Ongolo-Zogo, P., Borson, O., Garcia, P., Gruner, L., Valette, PJ.:
and MR imaging	Acute gastroduodenal peptic ulcer perforation: contrast-enhanced and
Moriyama, N., see Suzuki, S. et al	thin-section spiral CT findings in 10 patients
Mortelmans, L.L., see Desimpelaere, J.H. et al	Oscadchy, A., see Zissin, R. et al
Muchart, J., Perendreu, J., Casas, J.D., Díaz-Ruíz, M.J.: Balloon catheter	Otal, P., see Koizumi, J. et al
sphincteroplasty and biliary stone expulsion into the duodenum in	Outwater, E.K., see Hussain, S.M
patients with an indwelling T tube 69	Outwater, E.K., see Kim, P.N. et al
Muller, J.M., see Thoumas, D. et al. , . , , ,	Özdogan, M., see Özgen, A. et al
Munkholm, P., see Madsen, S.M. et al	Özgen, A., Akata, D., Arat, A., Demirkazik, F.B., Özmen, M.N., Akhan,
Murakami, I., see Yunoki, Y. et al	O.: Gallbladder duplication: imaging findings and differential consid-
Murakami, T., see Kanematsu, M. et al	erations
Murakami, T., see Kim, T. et al	Özgen, A., Akata, D., Arat, A., Özdogan, M., Akhan, O., Özmen, M.N.:
Murakami, T., see Yoshida, Y. et al	Splenic calcifications in heterozygote sickle cell patients
Murray, J.G., see Maher, M.M. et al	Özmen, M.N., see Özgen, A. et al
Naganuma, H., Ishida, H., Konno, K., Hamashima, Y., Komatsuda, T.,	Panicek, D.M., see Squires, F.B. et al.
Ishida, J., Masamune, O.: Hepatic hemangioma with arterioportal	
Shunts	Park, Y.N., see Won, J.H. et al
	Paulson, E.K., see Hertzberg, B.S. et al
M., Fujimori, S.: Intussusception in Peutz-Jeghers syndrome: sono-	Pelage, JP., Soyer, P., Boudiaf, M., Brocheriou-Spelle, I., Dufresne,
graphic findings	AC., Coumbaras, J., Rymer, R.: Carcinoid tumors of the abdomen:
Naganuma, H., see Ishida, H. et al	CT features
Naganuma, H., see Kinoshita, T. et al	Perendreu, J., see Muchart, J. et al
Naganuma, H., see Komatsuda, T. et al 414	Perkins, J.D., see Nghiem, H.V. et al
Naganuma, H., see Sato, M. et al	Perri, G., see Neri, E. et al
Nakamori, S., see Kim, T. et al 610	Piqueras-Olmeda, R., see González-Añón, M. et al.
Nakamura, H., see Kanematsu, M. et al	Prokipchuk, E.J., see Zalev, A.H. et al
Nakamura, H., see Kim, T. et al	Pron, G., see Zalev, A.H. et al
Nakamura, H., see Yoshida, Y. et al	Puylaert, J.B.C.M., see van Breda Vriesman, A.C
Nardi, F., see Rollandi, G.A. et al	Rabl, H., see Schaffler, G.J. et al
Narumi, Y., see Kim, T. et al	Racchiusa, S., see Ascenti, G. et al
Nawa, Y., see Hayashi, K. et al	Rajan, D.K., Croteau, D.L., Kazmers, A.: Aortocaval fistula: diagnosis
Nazarian, L.N., Lev-Toaff, A.S., Spettell, C.M., Wechsler, R.J.: CT as-	with carbon dioxide angiography
sessment of abdominal hemorrhage in coagulopathic patients: impact	Ranheim, E., see Chan, B.K. et al
on clinical management	Rankin, S., see Husband, J.E.S. et al
Neitlich, J.D., Burrell, M.I.: Drug-induced disorders of the colon	Rathaus, V., see Zissin, R. et al
Neitlich, J.D., Burrell, M.I.: Drug-induced disorders of the small bowel . 17	
	Reinhold, C., see Coche, E.E. et al
Nelson, R.C., see Low, V.H.S. et al	Reinhold, C., see Garcia, P. et al
Nemeth, J., see Clouet, M. et al	Rhee, C.S., Kim, J.S., Woo, S.K., Suh, S.J.: MRI of round ligament
Neri, E., Boraschi, P., Braccini, G., Caramella, D., Gigoni, R., Perri, G.,	leiomyoma associated with Mayer-Rokitansky-Kuster-Hauser syn-
Lencioni, R., Bartolozzi, C.: MR virtual endoscopy of the pancreati-	drome
cobiliary tract: a feasible technique?	Rhim, H., Bae, O.K., Lee, T.H., Kim, Y.S., Koh, B.H., Cho, O.K.,
Nesje, L.B., see Ødegaard, S. et al	Hahm, C.K., Kim, Y.H.: Postadministration of oral contrast material
Ng, KK., Wong, HF., Kong, MS., Chiu, L.C., Tan, CF., Wan, Y	for abdominal CT in patients with gastrectomy: modified drip inges-
L.: Biliary ascariasis: CT, MR cholangiopancreatography, and navi-	tion method
gator endoscopic appearance-report of a case of acute biliary	Rollandi, G.A., Curone, P.F., Biscaldi, E., Nardi, F., Bonifacino, E., Conzi,
obstruction	R., Derchi, L.E.: Spiral CT of the abdomen after distention of small
Nghiem, H.V., Dimas C.T., McVicar, J.P., Perkins, J.D., Luna, J.A.,	bowel loops with transparent enema in patients with Crohn's disease . 54
Winter, T.C., III, Harris, A., Freeny, P.C.: Impact of double helical	Ronchera-Oms, C.L., see Martí-Bonmatí, L. et al
CT and three-dimensional CT arteriography on surgical planning for	Rongen, M.J.G.M., see Beets-Tan, R.G.H. et al
hepatic transplantation	Rotondo, A., see Scialpi, M. et al
Nishikawa, M., see Yoshida, Y. et al	Rousseau, H., see Koizumi, J. et al
Nishimura, K., see Yamamoto, T. et al	Rymer, R., see Clouet, M. et al
Nitatori, T., see Ichikawa, T. et al	Rymer, R., see Gouhiri, M. et al.
Noguchi, H., see Koizumi, J	
	Rymer, R., see Pelage, JP. et al
Nolan, N., see Greaney, T.V. et al	Sahni, P., see Jain, R. et al
Noone, T.C., see Semelka, R.C. et al	Sakai, N., see Kinoshita, T. et al
Ødegaard, S., Nesje, L.B., Molin, S.O., Gilja, O.H., Hausken, T.: Three-	Sakai, T., see Ishida, H. et al
dimensional intraluminal sonography in the evaluation of gastrointes-	Sakon, M., see Kim, T. et al
tinal diseases	Sakon, M., see Yoshida, Y. et al.
Oh, Y.T., see Kim, MJ. et al	Sandrasegaran, K., Kwo, P.W., DiGirolamo, D., Stockberger, S.M., Jr.,
Ohashi, A., see Tamada, K. et al	Cummings, O.W., Kopecky, K.K.: Measurement of liver volume us-
Ohnami, Y., see Sato, M. et al.	ing spiral CT and the curved line and cubic spline algorithms: repro-
Ohyama, Y., see Sato, M. et al	ducibility and interobserver variation

Sasaki, Y., see Suzuki, S. et al	Suh, R.D., see Dure-Smith, P. et al
Sato, M., Ishida, H., Konno, K., Komatsuda, T., Hamashima, Y., Na-	Suh, S.J., see Rhee, C.S. et al
ganuma, H., Ohyama, Y.: Longstanding arterioportal fistula after	Suzuki, S., Furui, S., Kokubo, T., Moriyama, N., Kohtake, H., Takeshita,
laparoscopic liver biopsy	K., Harasawa, A., Sasaki, Y., Yamauchi, T., Shirai, T., Ban, S.,
Sato, M., Ishida, H., Konno, K., Komatsuda, T., Naganuma, H., Ha-	Kikuchi, Y.: Retroperitoneal malignant mesenchymoma: imaging
mashima, Y., Ohnami, Y., Watanabe, S., Ishida, J.: Sonography of	finding in five cases
pneumatosis cystoides intestinalis	Szolar, D.H., see Schaffler, G.J. et al
Sato, M., see Ishida, H. et al	Tahara, H., see Hayashi, K. et al
Sato, M., see Komatsuda, T. et al	Tajima, T., see Hiwatashi, A. et al
Sato, M., see Konno, K. et al	Takahashi, M., see Makita, O. et al
Sato, M., see Naganuma, H. et al	Takahashi, S., see Furukawa, T. et al
Satoh, Y., see Tamada, K. et al	Takahashi, S., see Kim, T. et al
Sattari, A., see Hainaux, B. et al	Takano, K., see Arita, T. et al
Savoye, G., see Savoye-Collet, C. et al	Takano, K., see Fujita, T. et al
Savoye-Collet, C., Savoye, G., Koning, E., Thoumas, D., Michot, F.,	Takashima, T., see Gabata, T. et al
Denis, P., Benozio, M.: Anal endosonography after sphincter repair:	Takashima, T., see Kobayashi, K. et al
specific patterns related to clinical outcome	Takeshita, K., see Suzuki, S. et al
Sawhney, S., see Jain, R. et al	Takeuchi, H., see Yunoki, Y. et al
Schaffler, G.J., Groell, R., Kammerhuber, F., Stacher, R., Hammerl, R.,	Takeuchi, Y., see Inaba, Y. et al
Rabl, H., Hoess, G., Szolar, D.H.: Anterior and upward displacement	Tamada, K., Kanai, N., Tomiyama, T., Ohashi, A., Wada, S., Satoh, Y.,
of the inferior mesenteric vein: a new diagnostic clue to left	Miyata, T., Tano, S., Ido, K., Sugano, K.: Prediction of the histo-
paraduodenal hernias?	logic type of bile duct cancer by using intraductal ultrasonography . 484
Schlag, P.M., see Hünerbein, M. et al	Tamura, S., see Fujita, T. et al
Schlichting, P., see Madsen, S.M. et al	Tan, CF., see Ng, KK. et al
Schlott, W.D., see Wu, C.M. et al	Tanabe, T.: see Hiromura, T. et al
Scialpi, M., Rotondo, A., Angelelli, G.: Water enema transvaginal ultra-	Tanakaya, K., see Yunoki, Y. et al
sound for local staging of stenotic rectal carcinoma	Taneja, K., see Jain, R. et al
Scribano, E., see Ascenti, G. et al.,	Tano, S., see Tamada, K. et al
Sella, T., see Gayer, G. et al	Thomsen, H.S., see Madsen, S.M. et al
Semelka, R.C., Worawattanakul, S., Noone, T.C., Burdeny, D.A., Kele-	Thoumas, D., Leroi, A.M., Mauillon, J., Muller, J.M., Benozio, M., De-
kis, N.L., Woosley, J.T., Lee, J.K.T.: Chemotherapy-treated liver	nis, P., Freger, P.: Pudendal neuralgia: CT-guided pudendal nerve
metastases mimicking hemangiomas on MR images 378	block technique
Seynaeve, P.C., see Desimpelaere, J.H. et al	Thoumas, D., see Savoye-Collet, C. et al
Shapiro-Feinberg, M., see Zissin, R. et al	Tokunaga, K., see Yoshida, Y. et al
Shemesh, E., see Gayer, G. et al	Tomiyama, T., see Tamada, K. et al
Shibutani, O., Joja, I., Shiraiwa, M., Asakawa, T., Miyagi, Y., Kudo, T.,	Tomoda, K. see Kim, T. et al
Hiraki, Y.: Endometrial carcinoma: efficacy of thin-section oblique	Tsai, C.C., see Curry, N.S. et al
axial MR images for evaluating cervical invasion	Tsubouchi, H., see Hayashi, K. et al
Shibutani, O., see Shiraiwa, M. et al	Tsuda, K., see Kim, T. et al
Shimamura, S., see Hiromura, T. et al	Tsujimura, T., see Furukawa, T. et al
Shimazu, N., see Monzawa, S. et al	Ueda, J., see Furukawa, T. et al
Shimura, K., see Furukawa, T. et al	Ucda, K., see Gabata, T. et al
Shirai, T., see Suzuki, S. et al	Valette, PJ., see Ongolo-Zogo, P. et al
Shiraiwa, M., Joja, I., Asakawa, T., Okuno, K., Shibutani, O., Akamatsu,	
	van Boven, H., see Beets-Tan, R.G.H. et al
N., Kudo, T., Hiraki, Y.: Cervical carcinoma: efficacy of thin-section	van Breda Vriesman, A.C., Puylaert, J.B.C.M.: Old and new infarction of
oblique axial T2-weighted images for evaluating parametrial invasion	an epiploic appendage: ultrasound mimicry of appendicitis 129
SN-1-14	van Engelshoven, J.M.A., see Beets-Tan, R.G.H. et al 576
Shiraiwa, M., see Shibutani, O. et al	Vanlangenhove, P., Defreyne, L., Kunnen, M.: Spontaneous thrombosis
Sitarik. K.M., see Low, V.H.S. et al	of a pseudoaneurysm complicating pancreatitis
Song, A.K., see Dure-Smith, P. et al	Vertruyen, M., see Hainaux, B. et al
Song, C.S., see Choi, B.I. et al	Wada, S., see Tamada, K. et al
Soulen, R.L., see Brine, D.R	Wakasa, K., see Kim, T. et al
Soyer, P., see Clouet, M. et al	Wakasa, K., see Yoshida, Y. et al
Soyer, P., see Gouhiri, M. et al	Wan, YL., see Ng, KK. et al
Soyer, P., see Pelage, JP. et al	Watanabe, S., see Ishida, H. et al
Spettell, C.M., see Nazarian, L.N. et al	Watanabe, S., see Sato, M. et al
Squires, F.B., Coakley, F.V., Berg, W.J., Panicek, D.M.: Bilateral renal	Wechsler, R.J., see Nazarian, L.N. et al
masses after local Bacillus Calmette-Guerin therapy for postcystec-	Weiss, P., see Gayer, G. et al
tomy ureteral cancer	Wiley, T.E., III, see Dure-Smith, P. et al
Srinualnad, N., Dixon, A.K.: Right anterior subphrenic space: an impor-	Winter, T.C., III. see Nghiem, H.V. et al
tant site for the early detection of intraperitoneal fluid on abdominal	Wise, S.W., see Labuski, M.R
CT	Won, J.H., Kim, MJ., Kim, B.M., Ji, H., Chung, J.J., Yoo, H.S., Lee,
Stacher, R., see Schaffler, G.J. et al	J.T., Park, Y.N., Hong, S.W.: Focal eosinophilic infiltration of the
Stockberger, S.M., Jr., Ambrosius, W.T., Khamis, M.G., Bergan, K.A.,	liver: a mimick of hepatic metastasis
Younger, C.L., Davidson, D.D.: Abdominal and pelvic needle aspira-	Wong, HF., see Ng, KK. et al
tion biopsies: can we perform them well when using small needles? . 321	Woo, S.K., see Rhee, C.S. et al
Stockberger, S.M., Jr., see Sandrasegaran, K. et al 61	Woosley, J.T., see Semelka, R.C. et al
Sucyoshi, S., see Inaba, Y. et al	Worawattanakul, S., see Semelka, R.C. et al
Sugano, K., see Tamada, K. et al	Wu, C.M., Fishman, E.K., Hruban, R.K., Schlott, W.D., Cameron, J.L.:
Suh, C.H., see Kim, M.Y. et al	Serous cystic neoplasm involving the pancreas and liver: an unusual
Suh. D.J., see Hwang, J.C. et al	
	clinical entity

Yaffe, D., see Zissin, R. et al	Yoshikawa, J., see Kobayashi, K. et al
Yagawa, A., see Monzawa, S. et al	
Yajima, Y., see Kinoshita, T. et al	
Yamada, T., see Kanematsu, M. et al	
Yamagami, T., see Inaba, Y. et al	
Yamamoto, S., see Hayashi. K. et al	
Yamamoto, T., Hayakawa, K., Kawakami, S., Nishimura, K., Katsuma,	Yu, E.S., see Ha, H.K. et al
Y., Hayashi, N., Maeda, M., Ishii, Y.: Rupture of a pancreatic	Yu, JS., Kim, K.W., Kim, C.S., Yoon, KH., Jeong, H.J., Lee, D.G.:
pseudocyst into the portal venous system	
Yamashita, K., see Hayashi, K. et al	
Yamashita, Y., see Makita, O. et al	
	Han, M.C.: Hepatic hemangioma: contrast-enhancement pattern dur-
	ing the arterial and portal venous phases of spiral CT
Yasui, Y., see Yunoki, Y. et al	
	Yunoki, Y., Takeuchi, H., Makino, Y., Murakami, I., Yasui, Y., Tan-
Yeon, K.M., see Yun, E.J. et al	
	ruptured hepatocellular carcinoma: case report
	Zalev, A.H., Prokipchuk, E.J., Jeejeebhoy, K.N., Gardiner, G.W., Pron,
Yoo, H., see Kim, M. et al	
Yoo, H.S., see Won, J.H. et al	
	radiologic findings in twenty-five patients
Yoon, KH., see Hwang, J.C. et al	
Yoon, KH., see Yu, JS. et al	
Yoshida, Y., Imai, Y., Murakami, T., Nishikawa, M., Kurokawa, M.,	adults
Yonezawa, T., Tokunaga, K., Fukushima, Y., Wakasa, K., Kim, T.,	Zissin, R., see Gayer, G. et al
Nakamura, H., Sakon, M., Monden, M.: Intrahepatic cholangiocarci-	Zissin, R., Yaffe, D., Fejgin, M., Olsfanger, D., Shapiro-Feinberg, M.:
	Hepatic infarction in preeclampsia as part of the HELLP syndrome:
Yoshikawa, J., see Gabata, T. et al.	

Subject index

(A) = Abstract

Abdomen	Angioplasty balloon catheter
—, CT of carcinoid tumors in	40 —, sphincteroplasty and biliary stone expulsion using 69
-, diffusion-weighted MRI with echo planar imaging of 4.	56 Annular pancreas
	21 —, imaging features of
Abdominal abscess	Anoperineal pain
	91 —, CT-guided pudendal nerve block for
Abdominal hemorrhage	Aortocaval fistula
	46 —, diagnosed by CO ₂ angiography
Abdominal pain	Apparent diffusion coefficient
	31 —, diffusion-weighted MRI with single-shot echo planar imaging evalu-
Abdominal wall	ated by
-, metastases implanted after abdominal percutaneous proce-	Appendicitis
	05 —, epiploic appendagitis mimicking
Aberrant left gastric vein	Appendix
	57 —, pseudomyxoma retroperitonei from mucinous carcinoma of 193
Acute abdomen	-, ulcerative colitis and discontinuous lesion at mouth of (A) 206
	26 Arterial phase imaging
	-, of dynamic CT, for detection of hepatocellular carcinoma 473
Acute diverticulitis	
Acute flank pain	3D CT, for surgical planning for liver transplantation
	17 Arterioportal fistula
	07 —, hepatic, after laparoscopic liver biopsy
Adenocarcinoma	Arterioportal shunt
	—, in hepatic hemangioma, effect on color Doppler sonography 42
—, pancreatic, intratumoral calcification in 6	10 Ascaris
Adenomyomatosis	—, acute biliary obstruction caused by
—, of gallbladder, MRI of	10 Ascaris suum
Adenosine	—, visceral larva migrans in liver due to
-, hepatic arterial blood flow volume during infusion of (A) 4	30 Ascites
Adrenal cyst	—, extramedullary plasmacytoma as cause of , , , , ,
—, massive central calcification in	11 Axial T2-weighted imaging
Adrenal incidentaloma	-, compared with thin section oblique axial T2-weighted imaging of
—, fine needle aspiration biopsy of (A)	07 uterus
Adrenal mass	Azygos/hemiazygos continuation
, unknown primary cancer presenting as (A)	07 —, CT of abdominal abnormalities in adults reveal
Alcohol injection	Bacillus Calmette-Guerin therapy
-, in percutaneous drainage of renal cysts (A)	32 —, renal masses caused by
Ampullary neoplasms	Barium swallow
-, effect of biliary stent on staging of (A)	28 —, pharynoesophagography using
Amylase	Bile duct cancer
	16 —, US predicts histologic type of
Amyloidosis	Bile duct hamartoma
	20 —, MRI of
Anal sphincter	Biliary ascariasis
—, endosonographic patterns after repair of	
-, high resolution MRI without endocoil of	
Anatomy	—, enteral nutrition and (A)
	Biliary stent
	440 —, effect on staging of ampullary neoplasms (A)
Anemia	
	Biliary stones —, angioplasty balloon catheter through T-tube tract for expulsion of , 69
Angiography	Biliary tree obstruction —, MR cholangiography in diagnosis of (A)
	556 Biopsy Address of the second sec
	—, abdominal wall implantation metastases after (A)
	528 —, fine needle aspiration, of incidental adrenal mass (A)
	—, fine needle aspiration, small vs. large needle size for
	42 —, image-guided, of renal masses (A)
	92 —, laparoscopic, hepatic arterioportal fistula after
Angiomatous cyst	-, US-guided, multiple bile duct hamartomas in liver
massive central calcification in	511 —, US-guided, tumor seeding along needle tract after

Bladder cancer	Cirrhosis
	105 —, alcoholic, pancreatic disease in (A)
Bladder trauma	—, colonic wall thickening and
	530 — giant hyperplasia of caudate lobe in
Blunt trauma	-, hepatic arterial blood flow volume in (A)
	-, response to TIPS for refractory ascites in (A)
Bone scan	—, US, CT, and MRI findings of small hepatic nodules in patients with . 47
	105 Closed loop and strangulating obstruction
Book review	—, of small bowel, CT of
	319 Coagulopathy
	107 —, CT of abdominal hemorrhage in
	531 Colitis
	107 —, antibiotics and
	319 —, nonischemic, drug therapy and
Bowel injury	Colon
	317 —, drug-induced disorders of
Budd - Chiari syndrome	Colon injury
	267 —, intraabdominal abscess and (A)
CA125	Colonic lesions
—, peritoneal serous papillary carcinoma and	78 —, hydrocolonic sonography for diagnosis of
Calcification	US-guided fine needle aspiration cytology of (A)
	511 Colonic wall thickening
· ·	610 —, cirrhosis and
Carcinoid tumors	Colonoscopy
—, abdominal, CT of	—, colorectal cancer in inflammatory bowel disease detected by (A). 429
Cathartic colon	Color Doppler sonography
—, laxative use and.	23 —, arterioportal fistula after laparoscopic biopsy found by
Catheter probes	-, duplex, of septic puerperal ovarian vein thrombosis
-, miniaturized US, preoperative staging of esophageal and gastric can-	—, duplex, of solid liver lesions
cer using (A)	103 —, of focal intrahepatic extramedullary hematopoiesis
Catheters	—, of gastroepiploic vein
-, nephrostomy, CT evaluation and correction of malpositioning of	422 —, of hepatic hemangioma with arterioportal shunt
Caudal migration	—, of lymphadenopathy (A)
-, vaginal, presence of cystocele suggested by	565 —, of pancreatic carcinoma
Caudate portal branch	—, of ruptured pseudoaneurysm
-, giant hyperplasia of caudate lobe and	153 —, of solid liver lesions
Cervical carcinoma	—, of splenic lymphangioma
— parametrial invasion by	514 —, of tumor seeding after US-guided liver tumor biopsy 401
Cervix	-, splenic vein checked for portal tumor thrombus by
—, endometrial carcinoma invasion of	520 Colorectal cancer
Children	—, 3D endoscopic US of
—, GI tract injuries from blunt trauma in (A)	315 —, hepatic and pulmonary metastases in (A)
	373 —, inflammatory bowel disease and (A)
—, vesicoureteral reflux in (A)	529 Colorectal neoplasms
Cholangiocarcinoma	-, virtual colonoscopy for diagnosis of (A)
-, hepatic, lung tumor with hemoptysis presenting as	407 Colorectal tumor
—, intrahepatic, hypervascularity in	66 —, malignant potential of elevated type of (A)
Cholangiography	Common bile duct
—, MR, biliary tree obstruction diagnosed by (A)	206 —, acute biliary obstruction caused by Ascaris in
, MR, choledocholithiasis diagnosed by (A)	104 Common bile duct stones
Cholangiopancreatography	-, endoscopic sphinterotomy of removal of (A)
, MR and MR virtual endoscopy of pancreaticobiliary tract using data	Complications
sets of	 —, abdominal, radiological and pathologic features of intestinal tubercu-
Choledochal cyst	losis with
-, pancreaticobiliary carcinoma associated with	292 —, arterioportal fistula after laparoscopic liver biopsy
Choledocholithiasis	—, gastrointestinal, drug therapy and
—, HASTE – MR cholangiography of (A)	104 —, port site metastases after laparoscopic cholecystectomy 404
, MR cholangiography of (A)	206 —, tumor seeding after US-guided liver biopsy
Chronic hepatic porphyria	Computed tomographic arteriography
—, multinodular fatty change in liver with	481 —, three-dimensional, for surgical planning for liver transplantation 278
Chronic pancreatitis	Computed tomographic portography
-, EUS- vs. CT-guided celiac plexus block for pain from (A)	431 — percutaneous contrast injection for
—, pain pattern in (A)	431 Computed tomography
-, pancreatic and nonpancreatic cancer risk in (A)	431 —, biopsy-induced arterioportal shunt causes retention of iodized oil in . 165

celiac plexus block for chronic pancreatitis guided by (A).	431	-, spiral, with small bowel loop distention with transparent enema in	
-, contrast-enhanced, of acute gastroduodenal peptic ulcer perforation .	329	Crohn's disease	544
-, double helical, for surgical planning for liver transplantation	278	-, thin-section spiral, of acute gastroduodenal peptic ulcer perforation .	329
—, dual-phase helical, of hepatic abnormalities	340	-, 3D volume rendering, for nephron sparing surgery (A)	432
-, dynamic, of hepatocellular carcinoma	473	-, 3D volume rendering, of liver tumors (A)	528
-, effect of rate and volume of contrast medium injection on hepatic		-, 3D, living kidney donor reconstruction evaluation by (A)	318
enhancement during	597	-, 3D, of advanced gastric carcinoma	111
-, epiploic appendagitis mimicking appendicitis	129	-, unenhanced spiral, evaluation of acute flank pain by (A)	207
-, helical, focal attenuation in pericystic liver seen by.	360	-, unenhanced, to detect retained calculi after lithotripsy (A)	529
-, helical, of junctional parenchyma	196	Computed tomography during arterial portography (CTAP)	
—, helical, of renal lobar dysmorphism	196	-, focal eosinophilic infiltration mimicking liver metastases on	369
-, helical, pelvic congestion syndrome diagnosed by	100	-, of pseudolesion in segment II of liver	357
—, hemoperitoneum caused by ruptured ovarian cyst	304	-, perfusion defect in pericystic liver tissue seen on	360
-, incidental finding of intestinal malrotation in adults by	550	Computed tomography during hepatic arteriography (CTHA)	
-, intraperitoneal fluid in right anterior subphrenic space detected by .	614	-, focal enhancement in pericystic liver tissue seen in	360
—, malpositioned nephrostomy catheters detected and corrected by	422	-, focal eosinophilic infiltration mimicking liver metastases on	369
—, modified drip ingestion method of administering oral contrast mate-	122	-, right hepatic arterial supply of PASIV by	591
rial for	223	Computer programs	
—, necrotic and nonnecrotic small bowel differentiated by	120	—, liver volume calculated by	61
	317	Computer software	
-, noncontrast, of acute flank pain (A)	317	-, interactive imaging of living donor kidney by (A)	318
of abdominal abnormalities in adult polysplenia syndrome revealed	170	Contrast enhancement pattern	
by	178	—, of hepatic hemangioma during CT	262
, of abdominal abscess due to dropped laparoscopic clip.	191	Contrast media	202
—, of abdominal carcinoid tumors	240	-, effect of dose reduction on MRI enhancement of upper abdominal	
of abdominal complications of intestinal tuberculosis , , , , , , , , , , , , , , , , , ,	32	organs	604
—, of abdominal hemorrhage in coagulopathy	246	—, effect of rate and volume of injection on hepatic CT enhancement	597
—, of abdominal wall implantation metastases (A)	205	—, for abdominal CT, modified drip ingestion method for administering.	223
—, of acute biliary obstruction from Ascaris.	470	—, for CT portography, intrasplenic injection of	272
—, of ampullary neoplasms (A)	528		117
—, of annular pancreas	174	small bowel angioedema from. Crohn's disease	117
—, of colonic wall thickening in cirrhosis	125		
-, of disease spread in thoracoabdominal continuum	211	-, abdominal CT with small bowel loop distention with transparent en-	
-, of focal intrahepatic extramedullary hematopoiesis	366	ema in	544
—, of gallbladder duplication	285	-, low field MRI of treatment response, extension, and activity of ,	232
—, of giant fibrovascular polyp	109	—, mesenteric adipose tissue hypertrophy in (A)	527
—, of hepatic dysplastic nodules	250	—, perforating ileocecal, natural history (A)	429
-, of hepatic infarction in preeclampsia	594	recurrence after small bowel resection and jejunocolostomy	538
-, of hepatic primary malignant fibrous histiocytoma	386	Cubic spline algorithm	
-, of intrahepatic cholangiocarcinoma with hypervascularity	66	—, liver volume calculated using , ,	61
—, of macrocystic serous cystadenoma	72	Cystic renal cell carcinoma	
-, of massive central calcification in adrenal cyst	511	—, resection of (A)	318
—, of necrotic granuloma of liver by fascioliasis	462	Cytomegalovirus proctitis	
—, of pudendal nerve	309	—, in nonimmunosuppressed diabetes mellitus patient	39
—, of retroperitoneal malignant mesenchymoma	92	Defecography	
—, of ruptured pseudoaneurysm	418	—, vaginal opacification during	2, 565
		Diabetes mellitus	
—, of septic puerperal ovarian vein thrombosis	85	—, cytomegalovirus proctitis in patient with	39
—, of small bowel angioedema	117	Diagnostic accuracy	
—, of small bowel diverticulitis	452	—, of small vs. large needle in fine needle aspiration biopsy	321
—, of splenic hemangiosarcoma	185	Diagnostic rate	
—, of splenic lymphangioma	414	-, of small vs. large needle in fine needle aspiration biopsy	321
-, of transient hepatic attenuation differences in acute pancreatitis	157	Dicyclomine	
—, of well-differentiated hepatocellular carcinoma	392	-, peristaltic artifacts on MRI reduced by	336
—, preoperative staging of rectal cancer by (A).	527	Diffusion-weighted magnetic resonance imaging	
—, prostate cancer staging using (A)	105	-, with single-shot echo-planar imaging of abdomen	456
-, small hepatic nodules in cirrhosis not detected by	47	Disease spread	
-, spiral, contrast-enhancement pattern of hepatic hemangioma during .	262	-, between abdomen and thorax, CT of	211
-, spiral, liver volume measured by	61	Disseminated peritoneal plasmacytoma	
-, spiral, of advanced gastric carcinoma, role of 3D and axial imaging		—, after cardiac transplantation	508
in. , , , , , , , , , , , , , , , , , , ,	111	Diverticulitis	
, spiral, of blunt renal trauma (A)	105	-, acute, of small bowel, CT of	452
-, spiral, of inferior mesenteric vein displacement	29	-, uncomplicated acute, management of (A)	429
-, spiral, of pancreatic head carcinoma (A)	528	Doxycycline	
-, spiral, traumatic bladder rupture evaluated by (A)	530	—, esophageal injury caused by	3

Drug therapy	Foreign body
—, colon disorders caused by	—, CT of intraabdominal abscess reveals
—, esophageal injury and	Gallbladder adenomyomatosis
—, gastrointestinal complications and	—, MRI of
—, small bowel disorders caused by	Gallbladder cancer
—, stomach and duodenum disorders induced by 9	—, association of polyps and stones with (A)
Duodenal ulcer	—, port site metastases after laparoscopic cholecystectomy for 404
—, sonographic diagnoses of	Gallbladder duplication
Duodenum	—, CT, US, and oral cholecystography of
—, drug-induced disorders of	Gallstones
Dysphagia	—, risk of gallbladder cancer and (A)
	Gastrectomy
—, oblique pharyngogram in assessment of	—, modified drip ingestion method for CT contrast material after 223
Ectopic pregnancy	
-, incidentally found by hysterosalpingography	Gastric carcinoma
Embryology	—, 3D and axial imaging by spiral CT of
—, development of body cavities in	Gastrinoma
Endometrial carcinoma	-, endoscopic US and somatostatin receptor scintigraphy preoperative
—, cervical invasion by	imaging of (A)
Endoscopic retrograde cholangiopancreatography (ERCP)	Gastroduodenal peptic ulcer
—, of annular pancreas	—, contrast-enhanced and thin section spiral CT of
-, pancreatitis and parenchymal abnormalities detected by (A) 528	Gastroepiploic vein
-, retroperitoneal air after (A)	—, color Doppler sonography of
Endoscopic sphincterotomy	Gastrointestinal bleeding
-, common bile duct stone removal by (A)	-, in intestinal tuberculosis, intestinal, radiologic and pathologic fea-
Endoscopic ultrasonography	tures of
—, of ampullary neoplasms (A)	Gastrointestinal cancer
—, of gastrinomas and insulinomas (A)	—, portal tumor thrombus caused by
—, pancreatitis and parenchymal abnormalities detected by (A) 528	Gastrointestinal complications
1,5	—, drug therapy and
Endosonography 560 574	Gastrointestinal hemorrhage
—, after anal sphincter repair	
Endothelial cyst	
—, massive central calcification in	Gastrointestinal tract injury
Enhancement patterns	, blunt trauma in children and (A)
—, MR of hepatic hemangioma	Gastrointestinal tumors
Enteral nutrition	—, 3D endoluminal ultrasound of
—, biliary sludge formation during (A)	Glucocorticoids
Epiploic appendagitis	—, MRI of response in Crohn's disease to treatment by
-, ultrasound mimicry of appendicitis	Half Fourier acquisition single-shot turbo spin-echo (HASTE)
Esophageal cancer	—, choledocholithiasis diagnosed by (A)
—, 3D endoscopic US of	Heart transplantation
Esophagitis	—, disseminated peritoneal plasmacytoma after
—, drug therapy and	HELLP syndrome
Esophagus	—, hepatic infarction in preeclampsia as part of
—, drug-induced disorders of	Hemangiosarcoma
—, giant fibrovascular polyp of	—, splenic tumor with massive calcification diagnosed as 185
, S	Hemoperitoneum
Excretory urography of acute flank pain (A)	—, from ovarian cyst rupture, imaging features of
the same transfer of the same	, 11011 0 1111111 0 1111111111111111111
—, of ureteric ring	Hemoptysis
—, upper urinary tract trauma evaluated by (A)	—, cholangiocarcinoma presenting as lung mass with
Extramedullary hematopoiesis	Hepatic abscess
—, color Doppler US and CT of	—, after transhepatic drainage of subphrenic abscess
Familial amyloid polyneuropathy	Hepatic adenocarcinoma
—, multiple gastric polyps in	—, cytokeratins predict location of primary tumor of (A) 206
Fascioliasis	Hepatic arterial blood flow volume
-, necrotic granuloma of liver by	—, cirrhosis and (A)
Fatty infiltration	Hepatic blood flow
—, in liver with chronic hepatic porphyria	-, dual-phase helical CT of hepatic abnormalities related to 340
Fibrovascular polyp	Hepatic cholangiocarcinoma
—, esophageal, CT and MR of	—, hypervascularity in
· · · · · · · · · · · · · · · · · · ·	—, lung tumor with hemoptysis presenting as
Fine needle aspiration biopsy —, of incidental adrenal mass (A)	Hepatic dysplastic nodules
	—, US, CT, MRI, and angiography of
Fine needle aspiration cytology	Hepatic fascioliasis — necrotic granuloma of liver by
—, US-guided, colonic lesions diagnosed by (A)	—, necrotic granuloma of liver by

repatie hemangiona		intraductur papinary machiness terrors		
—, enhancement pattern during arterial and portal spiral CT of	262	-, pancreatic, nonpancreatic neoplasms and (A)		317
—, mimicked by chemotherapy-treated liver metastases on MRI	378	Intraperitoneal fluid		
—, MRI with intense arterial enhancement and early fading	147	—, in right anterior subphrenic space		614
-, with arterioportal shunt, color Doppler sonograms and angiography		Intraperitoneal seeding		
of	42	, hepatocellular carcinoma rupture and		398
Hepatic nodular regenerative hyperplasia		Intravenous urogram		
—, US, CT, and MRI of	258	—, evaluation of acute flank pain by (A).		207
Hepatic parenchymal damage		Intussusception		
-, after ethanol injection therapy, MRI of	56	-, in Peutz - Jeghers syndrome, sonographic detection of		333
Hepatic venous obstruction		Iodized oil retention		
—, caused by elevated hemidiaphragm	267	-, in computed tomography, diagnosed as false positive HCC lesion		165
Hepatitis C		Ischemic colitis		
-, abdominal lymphadenopathy and (A)	315	—, caused by oral contraceptives		23
Hepatobiliary tumors		Jejunocolonic anastomosis		
-, CT portography for preoperative assessment of	272	-, recurrence of Crohn's disease after		538
Hepatocellular carcinoma		Jejunum		
—, false positive from iodized oil retention	165	—, CT of acute diverticulitis in		452
-, intraperitoneal seeding from rupture of	398	Junctional parenchyma		
-, optimal phase of dynamic CT for detection of	473	—, CT of renal lobar dysmorphism and		196
-, parenchymal damage after PEI therapy for	56	Kidney		
, PTH-producing, treated by transcatheter arterial embolization	144	-, dynamic enhancement during MRI of		604
—, US, CT, and MRI of	392	—, management of stab wounds of (A)		317
-, US, CT, and MRI of small hepatic nodules in cirrhotic patients sus-		Kidney donor		
pected with	47	-, living, 3D CT reconstruction evaluation of (A)		318
Hydrocolonic sonography		Kidney stones		210
—, of colonic lesions	506	—, retained after percutaneous ultrasonic lithotripsy (A)		529
Hydronephrosis	1.00	Langerhans' cell histiocytosis		261
—, bladder cancer staging by (A)	105	—, periportal abnormal signal intensity on MRI of		373
Hypercalcemia	100	Laparoscopic adjustable silicone gastric banding		313
—, hepatocellular carcinoma and	144			623
Hysterosalpingography	1-0-0			533
—, diagnosis of chronic ectopic gestation by	98	Laparoscopic cholecystectomy		101
lleocecal disease	20	—, abdominal abscess from dropped clip from	*	191
	420	—, port site metastases after		404
—, natural history of (A)	429	Laparoscopy		
Image processing		—, bowel injury from (A)		317
—, of 2D EUS images into 3D images on PC-based 3D	440	Late phase imaging		453
workstation	449	of dynamic CT, for detection of hepatocellular carcinoma	*	473
Indinavir sulfate	122	Laxatives		0.2
—, radiographic image of calculi caused by (A)	432	—, cathartic colon caused by	-	23
Inferior mesenteric vein		Leiomyoma round ligament		
spiral CT of anterior and upward displacement of in paraduodenal	20	—, in Mayer-Rokitansky-Kuster-Hauser syndrome.		202
hemia	29	Lipase		
Inflammatory bowel disease	100	—, elevated, with normal amylase not caused by pancreatitis (A).		316
—, colorectal cancer and (A)	429	Liver		
-, gastrointestinal hemorrhage in (A)	315	—, acute pancreatitis and abnormalities in		157
—, pancreatic enzymes in (A)	430	—, arterioportal fistula after laparoscopic biopsy of	4	383
Insulinoma		—, cirrhotic, caudate hyperplasia in		153
-, endoscopic US and somatostatin receptor scintigraphy preoperative		, CTAP of pseudolesion in segment II of		357
imaging of (A)	206	-, dynamic enhancement during MRI of		604
Intestinal dysmotility		-, effect of rate and volume of contrast medium injection on CT en-		
—, drug therapy and	1.7	hancement of	*	597
Intestinal hemorrhage		-, imaging features of primary malignant fibrous histiocytoma of .		386
—, drug therapy and	17	-, iodized oil retention from postbiopsy arterioportal shunt in ,	,	165
Intestinal ischemia		—, Langehans' cell histiocytosis in		373
—, drug therapy and	17	-, multinodular fatty change in		481
Intestinal malrotation		—, serous cystic neoplasm in	·	75
-, incidental CT finding in adults	550	-, subphrenic abscess drainage causes abscess in		163
Intestinal tuberculosis		Liver abnormalities		
-, with abdominal complications, radiologic and pathologic features of .	32	—, dual-phase helical CT of		340
Intestinal ulceration		Liver disease		
—, drug therapy and	17	-, superior mesenteric artery impedance in (A)		103
Intraabdominal abscess		Liver infarction		
—, impact of stomach and colon injuries on (A)	103	-, in preeclampsia as part of HELLP syndrome		594

Liver infection		—, of fan-shaped hepatic parenchymal damage	56
—, CT, MRI, radioisotopic scanning, and laparoscopy of	165	—, of gallbladder adenomyomatosis	410
—, CT, US, and MRI of	162	—, of giant fibrovascular polyp	109
Liver masses		—, of hepatic dysplastic nodules	250
—, color Doppler vs. CT of	366	-, of hepatic Langehans' cell histiocytosis	373
Liver metastases		—, of hepatic primary malignant fibrous histiocytoma	386
-, chemotherapy-treated, mimicking hemangiomas on MRI . ,	378	-, of intrahepatic cholangiocarcinoma with hypervascularity	66
-, cytokeratins predict location of primary tumor of (A)	206	-, of massive central calcification in adrenal cyst	511
—, focal eosinophilic infiltration mimicking	369	-, of necrotic granuloma of liver by fascioliasis	462
-, nodular regenerative hyperplasia mimicking	258	—, of pancreaticobiliary carcinoma with large choledochal cyst	292
	104	—, of parametrial invasion by cervical carcinoma	514
Liver neoplasms		—, of pseudomyxoma retroperitonei with skin fistula	193
	171		
	137	, of retroperitoneal malignant mesenchymoma	92
	386	—, of round ligament leiomyoma	202
	47	—, of splenic hemangiosarcoma	
	258	—, of well-differentiated hepatocellular carcinoma	392
Liver transplantation		, preoperative staging of rectal cancer by (A).	
	278	—, prostate cancer staging using (A)	105
Liver tumors	210	-, small hepatic nodules in cirrhosis not detected by	47
	528	Magnetic resonance urography	
	328	—, hematuria diagnosed and treated by (A)	105
Liver volume		Magnetic resonance virtual endoscopy	
-, spiral CT and curved line and cubic spline algorithms for measure-		-, of pancreaticobiliary tract	289
ment of	61	Malignant fibrous histiocytoma	
Lung cancer		-, hepatic, CT, US, MRI, and arteriography of	386
	527	-, mimicking cystic pancreatic mass	
Lung metastases		Mayer-Rokitansky-Kuster-Hauser syndrome	
, of colorectal carcinoma (A)	104	—, round ligament leiomyoma with	202
Lung tumor		Meckel's diverticulitis	
—, hepatic peripheral cholangiocarcinoma and	407	—, CT of.	452
Lymph node metastases		Mesenteric adipose tissue hypertrophy	4.10
—, of prostate cancer, lymph node size as marker for (A)	318	—, in Crohn's disease (A)	527
Lymphadenopathy		Mesenteric vein thrombosis	-//
—, abdominal, chronic hepatitis C and (A)	315		17
Lymphangioma		—, drug therapy and	17
—, splenic, US and CT of	414	Metastases	205
Lymphoadenopathy		—, abdominal wall implantation after percutaneous procedures (A)	205
-, high resolution pulsed and color Doppler US of (A)	529	Middle mesenteric artery	
Macrocystic serous cystadenoma		—, CT angiography of	556
-, pancreatic, CT and endosonographic features of	72	Morbid obesity	
Magnetic resonance angiography		—, laparoscopic adjustable silicone gastric banding for	533
—, of septic puerperal ovarian vein thrombosis	85	Nephron sparing surgery	
Magnetic resonance cholangiography		, 3D CT for preoperative evaluation for (A)	432
	206	Nephrostomy	
	104	-, CT evaluation and guided correction of malpositioned catheters in .	422
Magnetic resonance cholangiopancreatography		Nerve block technique	
	470		309
	292	Nonpancreatic neoplasms	
Magnetic resonance imaging	-7-	-, intraductal papillary mucinous tumors of pancreas and (A)	317
abdominal, effect of dicyclomine dose on reduction of peristaltic		Nonsteroidal antiiflammatory drugs	
	336	—, esophageal injury caused by	3
		—, gastrointestinal mucosal injury caused by	9
	267	Obstruction	
	378	—, intestinal, radiologic and pathologic features of	32
	456	Oral cholecystography	-1.60
**	604		285
—, high resolution, of anorectal region 576,		—, of gallbladder duplication	200
	232	Oral contraceptives	22
of abdominal abnormalities in adults, polysplenia syndrome revealed		—, colon disorders caused by	23
	178	-, ischemic enteritis and mesenteric vein thrombosis caused by	17
	470	Ovarian cyst	
	528	—, hemoperitoneum after rupture of	304
	147	Pancreas	
	171		
of cervical invasion by endometrial carcinoma	520	macroscopic serous cystadenoma of	72

nonpancreatic neoplasms and intraductal papillary mucinous tumors		Peutz – Jeghers syndrome	
of (A)	317	-, sonographic detection of intussusception in	333
—, serous cystic neoplasm in	75	Pharynx	
-, short, CT of abdominal abnormalities in adults reveal	178	-, oblique pharyngogram of	7, 444
Pancreatic cancer		Pneumatosis cystoides intestinalis	
, chronic pancreatitis and risk for (A)	431	—, US of	559
—, color Doppler sonography of	295	Polyps	
—, intratumoral calcification in	610	-, gastric, in familial amyloid polyneuropathy	220
Pancreatic enzymes		Polysplenia syndrome	
-, inflammatory bowel disease and (A)	430	—, CT of abdominal abnormalities in adults reveal	178
Pancreatic head carcinoma		Porphyria	
—, spiral CT for preoperative staging of (A)	528	-, chronic hepatic, multinodular fatty change in liver with	481
Pancreatic pseudocyst		Port site metastases	
—, malignant fibrous histiocytoma presenting as	299	—, after laparoscopic cholecystectomy for gallbladder carcinoma	404
Pancreaticobiliary carcinoma		Portal hemodynamics	404
—, with choledochal cyst, MRI and MR cholangiopancreatography of .	292	—, in chronic liver disease (A)	103
Pancreaticobiliary tract	272	Portal hypertension	100
	280		126
—, MR virtual endoscopy of	289	—, colonic wall edema in cirrhosis and	125
Pancreatitis	167	Portal tumor thrombus	505
-, acute hepatic perfusion abnormalities in	157	—, gastrointestinal cancer as cause of	585
—, alcoholic cirrhosis and (A)	528	Portal venous invasion	
, chronic, EUS- vs. CT-guided celiac plexus block for pain from (A) .	431	—, by pancreatobiliary carcinoma (A)	316
—, chronic alcoholic, pain pattern in (A).	431	Portal venous system	
-, GI bleeding from ruptured pseudoaneurysm in patient with	418	—, pancreatic pseudocyst rupture into	494
-, normal amylase and elevated lipase not caused by (A)	316	Portography	
, rupture into portal venous system of pseudocyst in	494	—, CT, by direct intrasplenic contrast injection	272
-, spontaneous thrombosis of pseudoaneurysm complicating	491	Posterior aspect of segment IV	
Pancreatobiliary carcinoma		-, right hepatic arterial supply to	591
-, portal venous invasion by (A)	316	Posttransplant lymphoproliferative disorders	
Papillary adenocarcinoma		-, in post-heart transplant patient.	508
-, intraductal US predicts bile duct cancer as	484	Potassium chloride	
Paraduodenal hernia		—, esophageal injury caused by	3
-, anterior and upward displacement of inferior mesenteric vein associ-		—, gastrointestinal mucosal injury caused by	9
ated with.	29	Preeclampsia	
Peliosis	-	—, CT of hepatic infarction in.	594
-, effect on CT and MRI of hepatic nodular regenerative hyperplasia .	258	Preoperative assessment	224
Pelvic congestion syndrome	40.00	—, for nephron sparing surgery by 3D CT (A)	432
—, helical CT of	100	—, of hepatobiliary tumors by CT portography	272
Pelvis	100		295
	221	—, of pancreatic carcinoma	293
—, small needle size for fine needle aspiration biopsy of	321	-, of pancreaticobiliary carcinoma with MRI and MR cholangiopancre-	202
Penetrating trauma	210	atography	292
-, noncontrast CT vs. excretory urography for assessing (A)	317	—, of rectal cancer by transrectal US, pelvic CT, and MRI (A)	527
—, to colon and stomach, intraabdominal abscess and (A).	103	—, of resectable pancreatic head carcinoma (A)	528
Peptic ulcer perforation		Primary sclerosing cholangitis	
-, contrast-enhanced and thin section spiral CT of	329	—, elevated pancreatic enzymes in IBD and (A)	430
Percutaneous drainage		Prostate cancer	
—, of renal cysts (A)	432	—, fatal, increase in before PSA testing (A)	207
Percutaneous ethanol injection (PEI) therapy		—, imaging tests for staging of (A)	105
, hepatic parenchymal damage caused by	56	-, lymph node size and metastases of (A)	318
Percutaneous transhepatic drainage		Pseudoaneurysm	
—, hepatic abscess along track of	163	-, gastrointestinal bleeding from rupture of	418
Percutaneous ultrasonic lithotripsy		-, pancreatic, spontaneous thrombosis of	491
-, unenhanced CT to detect retained calculi after (A)	529	Pseudocyst	
Perforation		-, pancreatic, rupture into portal venous system of	494
-, intestinal, radiologic and pathologic features of	32	Pseudolesion	
Peristaltic artifacts		, caused by aberrant left gastric venous drainage	357
, of abdominal MRI reduced by dicyclomine	336	Pseudomyxoma retroperitonei	
Peritoneal serous papillary carcinoma		—, skin fistula formation in	193
—, radiological appearance of	78	Psychoactive drugs	173
Peritonitis	7.0	—, bowel hypomotility caused by.	22
	93		23
	82	Pudendal nerve	200
—, sclerosing, ifeal obstruction caused by	82	—, chronic anoperineal pain caused by compression of	309
Peroxisome proliferator-activated receptor γ	527	Pulsed Doppler sonography	122
, role in mesenteric fat hypertrophy in Crohn's disease (A)	527	—, of solid liver lesions	137

Quinidine		Sphincteroplasty	
—, esophageal injury caused by	3	—, anal endosonography after	9, 574
Radiologic images		-, with angioplasty balloon catheter through immature T-tube tract	69
—, after laparoscopic adjustable silicone gastric banding	533	Sphincterotomy	
-, of recurrent Crohn's disease in duodenal and jejunum	538	-, endoscopic, common bile duct stone removal by (A)	104
Rectal carcinoma		—, retroperitoneal air after ERCP with (A)	430
-, stenotic, water enema transvaginal ultrasound for staging of	132	Spleen	
Rectum		-, CT portography by direct contrast injection into	272
—, diabetes mellitus patient with cytomegalovirus in	39	-, dynamic enhancement during MRI of	604
Refractory ascites		Splenic artery	
-, response to TIPS for (A)	430	—, tortuosity of	313
Renal cell carcinoma		Splenic calcification	
—, cystic, resection of (A)	318	—, in heterozygote sickle cell patients	188
Renal cysts		Splenic hemangiosarcoma	
-, percutaneous drainage with alcohol injections of (A)	432	—, massive calcification in.	185
Renal lobar dysmorphism		Splenic lymphangioma	
—, helical CT of	196	—, US and CT of	414
Renal masses		Splenic vein thrombosis	
-, granulomatosis, after Bacillus Calmette-Guerin therapy	200	-, sonography of gastroepiploic vein associated with	228
—, imaging guided biopsy of (A)	432	Stomach	
Renal trauma		—, adjustable gastric banding of	533
—, spiral CT limitations in (A)	105	—, drug-induced disorders of	9
Retroperitoneal air		Stomach injury	
-, after ERCP with sphincterotomy (A)	430	—, intraabdominal abscess and (A)	103
Retroperitoneal malignant mesenchymoma		Subserous space	
—, US, CT, MR, and angiography of	92	-, embryological basis and direct spread of disease in	211
Right anterior subphrenic space		Superior mesenteric artery impedance	
—, intraperitoneal fluid detected by CT of	614	—, in chronic liver disease (A)	103
Right hepatic artery		Superior mesenteric vessels	
-, posterior aspect of segment IV of liver supplied by	591	—, intestinal malrotation and abnormalities in	550
Salicylate		Surgical planning	
-, gastrointestinal mucosal injury caused by	9	—, double helical CT and 3D CT arteriography for	278
Septic puerperal ovarian vein thrombosis		Testicular microlithiasis	
—, duplex color Doppler US, CT, and MR angiography in diagnosis of .	85	—, pathological criteria for (A)	106
Serous cystadenoma		Tetracycline	
-, in pancreas and liver, aggressive behavior of	75	—, esophageal injury caused by	
—, macrocystic, versus mucinous cystadenoma	72	Thin section oblique axial T2-weighted imaging	
Serous cystic neoplasms		—, of cervical invasion by endometrial carcinoma	520
,, in pancreas and liver, aggressive behavior of	75	—, of parametrial invasion by cervical carcinoma	514
Sickle cell disease		Thoracoabdominal continuum	
—, heterozygote, splenic calcifications in	188	—, embryological basis and direct spread of disease in	211
Sickle thalassemia	100	Three-dimensional ultrasonographic imaging	
—, splenic calcifications in	188	—, of GI tumors	15. 449
Signal:intensity ratio	100	Thrombosis	
—, diffusion-weighted MRI with single-shot echo planar imaging evalu-		—, of pseudoaneurysm complicating pancreatitis	49
ated by	456	Transcatheter arterial embolization (TAE)	
Single shot echo planar imaging	450	-, PTH-producing hepatocellular carcinoma treated by	144
—, diffusion-weighted MRI with	456	Transendoscopic ultrasonography	, .
Skin fistula	450	—, of esophageal and gastric cancer (A)	103
—, pseudomyxoma retroperitonei causing	193	Transient hepatic attenuation difference (THAD)	10.
Small bowel	193	—, computed tomography appearance of	15
—, abdominal spiral CT after distention of in Crohn's disease	544		8.0
		Transitional cell carcinoma	200
—, closed loop and strangulating obstruction of	120	, ureteral, renal masses after BCG therapy for	200
—, CT of acute diverticulitis in	452	Transjugular intrahepatic portosystemic shunt (TIPS)	436
—, drug-induced disorders of	17	—, for refractory ascites in cirrhosis (A)	. 430
-, short, recurrence of Crohn's disease in after resection of	538	Transvaginal ultrasound (TVUS)	127
Small bowel angioedema		—, stenotic rectal carcinoma staged by	. 133
—, from iodinated radiographic contrast medium	117	Trauma	424
Small bowel metastases		-, upper urinary tract, excretory urography for (A)	. 433
—, from lung cancer (A)	527	T-tube	
Small bowel obstruction	-1-	-, indwelling, sphincteroplasty and biliary stone expulsion using tract	-
—, sclerosing encapsulating peritonitis and	82	of	. 69
Somatostatin receptor scintigraphy	***	Tubercular colitis	
—, of gastrinomas and insulinomas (A)	206	—, hydrocolonic sonography of	17, 500

Tumor respons	e.		-, of well-differentiated hepatocellular carcinoma		*		39
-, Miller's c	riteria for measurement of	618	-, 3D endoscopic, of GI tumors		. 4	45.	44
Tumor seeding			-, transendoscopic, of esophageal and gastric cancer (A) .				10
-, after US-g	guided liver biopsy	401	-, transrectal, preoperative staging of rectal cancer by (A)			. :	52
-, hepatocell	ular carcinoma rupture and	398	-, transvaginal, stenotic rectal carcinoma staged by				13
Ulcerative coli	tis		Ultrasound-guided liver biopsy				
-, discontinu	ous lesions at appendix mouth and (A)	206	-, multiple bile duct hamartomas diagnosed by				17
-, hydrocolo	nic sonography of	, 506	, tumor seeding along needle tract after				40
Ultrasonograph	ny		Upper gastrointestinal radiography				
, abdominal	lymphadenopathy in chronic hepatitis C evaluated by (A).	315	-, duodenal narrowing at annular pancreas seen by				17
-, acute duoc	lenal ulcer diagnosed by	226	Ureteric ring				
-, duplex co	lor Doppler, of septic puerperal ovarian vein		, radiologic features of				420
thrombosi	s	85	Ureterolithiasis				
, endoscopio	c, celiac plexus block for chronic pancreatitis guided by		-, diagnosed by unenhanced spiral CT (A)				20
(A)		431	Urography				
-, endoscopio	c, of ampullary neoplasms (A).	528	-, excretory, of acute flank pain (A)				31
, endoscopio	c. of gastrinomas and insulinomas (A)	206	—, excretory, of ureteric ring				420
, endoscopio	c, pancreatitis and parenchymal abnormalities detected by		-, excretory, upper urinary tract trauma evaluated by (A).				43
(A)		528	-, intravenous, evaluation of acute flank pain by (A)				20
-, epiploic ap	opendagitis mimicking appendicitis	129	-, MR, hematuria diagnosed and treated by (A)				103
-, hemoperito	oneum caused by ruptured ovarian cyst	304	Uterine neoplasms				
-, high resolu	ation pulsed, of lymphadenopathy (A)	529	-, thin section oblique axial T2-weighted images of				51-
-, intraductal	, of bile duct cancer	484	Vaginal opacification				
-, intussuscep	otion in Peutz - Jeghers syndrome detected by	333	-, during defecography, pelvic floor pathology and				565
-, of gallston	es and polyps (A)	316	, folded gauze in introitus during defecography of				56.
-, of hepatic	dysplastic nodules	250	Vesicoureteral reflux				
-, of hepatic	primary malignant fibrous histiocytoma	386	-, in children, color flow sonography of (A)				529
	tic sclerosing encapsulating peritonitis	82	Virtual colonoscopy				
-, of multino	dular fatty change in liver	481	-, colorectal neoplasms detected by (A).			. :	205
-, of necrotic	granuloma of liver by fascioliasis	462	Virtual endoscopy				
-, of pancrea	tobiliary carcinoma and portal venous invasion (A)	316	-, MR, of biliary tract			. :	286
-, of pneuma	tosis cytoides intestinalis	559	Visceral larva migrans				
-, of retroper	itoneal malignant mesenchymoma	92	-, Ascaris suum infection as cause of				465
, of small he	epatic nodules in cirrhosis	47	Von Meyenburg complexes				
	lymphangioma	414	—, MRI of				17

